

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



JUPITER POTASH

Version 1 Date of compilation: 15/04/2025

Version 2 (replaces version 1)

Revision date: 15/04/2025

Page 1 of 9

Print date: 19/11/2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: JUPITER POTASH
Chemical Name: potassium nitrate
CAS No: 7757-79-1
EC No: 231-818-8
Registration No: 01-2119488224-35-XXXX

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Fertilizer.

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: **Constantino Gutierrez, S.A.**
Address: Avenida Mare Nostrum 25
City: 03007 - Alicante
Province: Alicante
Telephone: 965288544
E-mail: cgsa@medifer.es
Web: www.medifer.es

1.4 Emergency telephone number: (Only available during office hours; Monday-Friday; 08:00-17:00)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Ox. Sol. 3 : May intensify fire; oxidiser.

2.2 Label elements.

Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



Signal Word:

Warning

Hazard statements:

H272 May intensify fire; oxidiser.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 Keep away from clothing and other combustible materials.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P370+P378 In case of fire: Use... to extinguish.
P501 Dispose of contents/container to ...

2.3 Other hazards.

The substance is not PBT

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



JUPITER POTASH

Version 1 Date of compilation: 15/04/2025

Version 2 (replaces version 1)

Revision date: 15/04/2025

Page 2 of 9

Print date: 19/11/2025

The substance is not vPvB
Substance does not have endocrine disrupting properties.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

| Identifiers | Name | Concentrate | (*)Classification - Regulation (EC) No 1272/2008 | |
|---------------------------------------|-------------------|-------------|--|--|
| | | | Classification | Specifics concentration limits and Acute toxicity estimate |
| CAS No: 7757-79-1 EC No: 231-818-8 | potassium nitrate | 30 - 50 % | Ox. Sol. 3, H272 | - |

3.2 Mixtures.

Not applicable.

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

SECTION 5: FIREFIGHTING MEASURES.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



JUPITER POTASH

Version 1 Date of compilation: 15/04/2025

Version 2 (replaces version 1)

Revision date: 15/04/2025

Page 3 of 9

Print date: 19/11/2025

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health. The product may cause or facilitate the combustion of other materials.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



JUPITER POTASH

Version 1 Date of compilation: 15/04/2025

Version 2 (replaces version 1)

Revision date: 15/04/2025

Page 4 of 9

Print date: 19/11/2025

| Name | DNEL/DMEL | Type | Value |
|--|-------------------|---------------------------------------|------------------------------|
| potassium nitrate CAS No: 7757-79-1 EC No: 231-818-8 | DNEL (Workers) | Inhalation, Chronic, Systemic effects | 36,7 (mg/m ³) |






DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

| | | | | | |
|------------------------------|--|---------------------------|---|--------------------------|------|
| Concentration: | 100 % | | | | |
| Uses: | Fertilizer. | | | | |
| Breathing protection: | | | | | |
| PPE: | Particle filter mask | |  | | |
| Characteristics: | «CE» marking, category III. Made of filtering material, it covers nose, mouth and chin. | | | | |
| CEN standards: | EN 149 | | | | |
| Maintenance: | Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use. | | | | |
| Observations: | Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment. | | | | |
| Filter Type needed: | P2 | | | | |
| Hand protection: | | | | | |
| PPE: | Protective gloves. | |  | | |
| Characteristics: | «CE» marking, category II. | | | | |
| CEN standards: | EN 374-1, En 374-2, EN 374-3, EN 420 | | | | |
| Maintenance: | Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. | | | | |
| Observations: | Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands. | | | | |
| Material: | PVC (polyvinyl chloride) | Breakthrough time (min.): | > 480 | Material thickness (mm): | 0,35 |
| Eye protection: | | | | | |
| PPE: | Protective goggles against particle impacts. | |  | | |
| Characteristics: | «CE» marking, category II. Eye protector against dust and smoke. | | | | |
| CEN standards: | EN 165, EN 166, EN 167, EN 168 | | | | |
| Maintenance: | Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. | | | | |
| Observations: | Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc. | | | | |
| Skin protection: | | | | | |
| PPE: | Anti-static protective clothing. | |  | | |
| Characteristics: | «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements. | | | | |
| CEN standards: | EN 340, EN 1149-1, EN 1149-2, EN 1149-3, EN 1149-5 | | | | |
| Maintenance: | In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer. | | | | |
| Observations: | The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. | | | | |
| PPE: | Anti-static safety footwear. | |  | | |
| Characteristics: | «CE» marking, category II. | | | | |
| CEN standards: | EN ISO 13287, EN ISO 20344, EN ISO 20346 | | | | |
| Maintenance: | The footwear should be checked regularly | | | | |

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



JUPITER POTASH

Version 1 Date of compilation: 15/04/2025

Version 2 (replaces version 1)

Revision date: 15/04/2025

Page 5 of 9

Print date: 19/11/2025

Observations: The level of comfort during use and acceptability are factors that are assessed very differently depending on the user. Therefore, it is advisable to try on different footwear models and, if possible, different widths.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Solid - Dust

Colour: White

Odour: Inodoro

Odour threshold: Not available

Melting point: Not available

Freezing point: Not available

Boiling point or initial boiling point and boiling range: Not available

Flammability: Not available

Lower explosion limit: Not available

Upper explosion limit: Not available

Flash point: Not available

Auto-ignition temperature: Not available

Decomposition temperature: Not available

pH: $6 \pm 0,5$ (10%)

Kinematic viscosity: Not available

Solubility: 360 kg/m³ (OECD 116)

Hydrosolubility: Not available

Liposolubility: Not available

Partition coefficient n-octanol/water (log value): Not available

Vapour pressure: Not available

Absolute density: Not available

Relative density: Not available

Relative vapour density: Not available

Particle characteristics: Not available

9.2 Other information

Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

May intensify fire; oxidiser.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

Toxicological information.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



JUPITER POTASH

Version 1 Date of compilation: 15/04/2025

Version 2 (replaces version 1)

Revision date: 15/04/2025

Page 6 of 9

Print date: 19/11/2025

| Name | Acute toxicity | | | |
|--|----------------|------|------|---|
| | Type | Test | Kind | Value |
| potassium nitrate CAS No: 7757-79-1 EC No: 231-818-8 | Oral | LD50 | Rat | 3750 mg/kg [1] [1] Nippon Yakurigaku Zasshi. Japanese Journal of Pharmacology. Vol. 81, Pg. 469, 1983. |
| | Dermal | | | |
| | Inhalation | | | |

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Not conclusive data for classification.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

| Name | Ecotoxicity | | | |
|-------------------|-------------|------|------|---------------------|
| | Type | Test | Kind | Value |
| potassium nitrate | Fish | LC50 | Fish | 190 mg/l (96 h) [1] |

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



JUPITER POTASH

Version 1 Date of compilation: 15/04/2025
Version 2 (replaces version 1)

Revision date: 15/04/2025

Page 7 of 9
Print date: 19/11/2025

| | | |
|------------------------------------|-----------------------|---|
| CAS No: 7757-79-1 EC No: 231-818-8 | | [1] Rubin, A.J., and M.A. Elmaraghy 1976. Studies on the Toxicity of Ammonia, Nitrate and Their Mixtures to the Common Guppy. Water Resour.Ctr.Rep.No.490, Ohio State Univ., Columbus, OH :47 p. (U.S.NTIS PB-255721). Rubin, A.J., and G.A. Elmaraghy 1977. Studies on the Toxicity of Ammonia, Nitrate and Their Mixtures to Guppy Fry. Water Res. 11(10):927-935 |
| | Aquatic invertebrates | LC50 Crustacean 490 mg/l (48 h) [1] [1] Dowden, B.F., and H.J. Bennett 1965. Toxicity of Selected Chemicals to Certain Animals. J.Water Pollut.Control Fed. 37(9):1308-1316 |
| | Aquatic plants | |

12.2 Persistence and degradability.

No information is available regarding the biodegradability
No information is available on the degradability
No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation.

12.4 Mobility in soil.

No information is available about the mobility in soil.
The product must not be allowed to go into sewers or waterways.
Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

The product is not affected by the Regulation (EU) 2024/590 of the European Parliament and of the Council of 7 February 2024 on substances that deplete the ozone layer.
No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.
Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG.

Transport documentation: Bill of lading

Air: Transport by plane: ICAO/IATA.

Transport document: Airway bill.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



JUPITER POTASH

Version 1 Date of compilation: 15/04/2025

Version 2 (replaces version 1)

Revision date: 15/04/2025

Page 8 of 9

Print date: 19/11/2025

14.1 UN number or ID number.

UN No: UN1486

14.2 UN proper shipping name.

Description:

ADR/RID: UN 1486, POTASSIUM NITRATE, 5.1, PG III, (E)

IMDG: UN 1486, POTASSIUM NITRATE, 5.1, PG III

ICAO/IATA: UN 1486, POTASSIUM NITRATE, 5.1, PG III

14.3 Transport hazard class(es).

Class(es): 5.1

14.4 Packing group.

Packing group: III

14.5 Environmental hazards.

Marine pollutant: No

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-Q

14.6 Special precautions for user.

Labels: 5.1



Hazard number: 50

Provisions concerning carriage in bulk ADR:

VC1 Carriage in bulk in sheeted vehicles, sheeted containers or sheeted bulk containers is permitted.

VC2 Carriage in bulk in closed vehicles, closed containers or closed bulk containers is permitted.

AP6 If the vehicle or container is made of wood or other combustible material, an impermeable surfacing resistant to combustion or a coating of sodium silicate or similar substance shall be provided. Sheeting shall also be impermeable and non-combustible.

AP7 Carriage in bulk shall only be as a full load.

Proceed in accordance with point 6.

ADR LQ: 5 kg

IMDG LQ: 5 kg

ICAO LQ: 10 kg

14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



JUPITER POTASH

Version 1 **Date of compilation: 15/04/2025**

Version 2 (replaces version 1)

Revision date: 15/04/2025

Page 9 of 9

Print date: 19/11/2025

Classification codes:

Ox. Sol. 3: Oxidising solid, Category 3

Changes regarding to the previous version:

- Changes in the information of the supplier (SECTION 1.3).
- Changes in the composition of the product (SECTION 3.2).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| | |
|-----------------------|-----------------------|
| Physical hazards | On basis of test data |
| Health hazards | Calculation method |
| Environmental hazards | Calculation method |

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CEN: European Committee for Standardization.

DREL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

EC50: Half maximal effective concentration.

PPE: Personal protection equipment.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.